IBM CORP -- 435682 -- 9150-01-501-5227 Product ID:435682 MSDS Date:11/19/1991 FSC:9150 NIIN:01-501-5227 MSDS Number: BMXFL === Responsible Party === Company Name: IBM CORP Address:OLD ORCHARD ROAD City:ARMONK State:NY ZIP:10504-1709 Country:US Info Phone Num:800-IBM-4333 Emergency Phone Num:800-IBM-4333 CAGE:7N876 === Contractor Identification === Company Name: IBM CORP Address:OLD ORCHARD RD City:ARMONK State:NY ZIP:10504 Country:US Phone: 716-722-5151 CAGE: 7N876 Company Name: IBM CORPORATION Address:OLD ORCHARD ROAD City:ARMONK State:NY ZIP:10504-1709 Country:US Phone:800-426-4333/FAX 214-280-3903 CAGE: 30874 Ingred Name:MINERAL OIL Fraction by Wt: 100% Other REC Limits:NONE SPECIFIED OSHA PEL:NL ACGIH TLV:NL Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:SKIN; IRRITATION OR DERMITITIS. EYES; MILD IRRITANT. INGESTION; PRATICALL NON TOXIC BUT MINUTE AMOUNTS ASPIRATED INTO THE LUNGS DURING INGESTION MAY CAUSE MILD TO SEVERE PULMONARY INJURY. Effects of Overexposure: INHALATION; OF OIL MIST COULD CAUSE LIPID PNEUMONIA IN SOME PEOPLE. Medical Cond Aggravated by Exposure:NONE GIVEN First Aid: INHALATION: REMOVE FROM FIRST AID PROVIDE CPR AND OXYGEN IF NECESSARY, SEEK MEDICAL ATTENTION.EYES; FLUSH WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES.SKIN; WASH WITH SOAP AND WATER.REMOVE CONTAMINATED CL OTHING SEEK MEDICAL ATTENTION IF IRRITATION

PERSIST. INGESTION: SEK MEDICAL ATTENTION. DO NOT INDUCE VOMITING DO

NOT GIVE ANYTHING TO AN UNCONSCIOUS PERSON Flash Point Method:OC Flash Point:182F,83C Lower Limits:0.9 Upper Limits:7 Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE.FOAM Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPERATUS. KEEP FIRE EXPOSED CONTAINER COOL WITH WATER Unusual Fire/Explosion Hazard:NONE Spill Release Procedures: CONTAIN FOR TREATMENT/DISPOSAL. COVER WITH ABSORBENT MATERIAL, AND COLLECT. ELIMINATE ALL IGNITION SOUERCES. Neutralizing Agent:NA Handling and Storage Precautions:STORE IN A COOL DRY PLACES, WELL VENTILATED AWAY FROM HIGH TEMPERATURES OPEN FLAMES AND STRONG OXIDANTS. Other Precautions: KEEP OUT OF REACH OF CHILDREN, KEEP CONTAINERS CLOSED WHEN NNOT IN USE. Respiratory Protection: ORGANIC VAPOR, SELF CONTAINED IF TVLS ARE EXCEEDED Ventilation:LOCAL EXHAUST Protective Gloves: IMPERMABLE Eye Protection: CHEMICAL SFETY GOGGLES. Other Protective Equipment:NONE Work Hygienic Practices: PRUDENT, LAUNDER CONTAMINATED CLOTHING PRIOR TO REUSE. Supplemental Safety and Health NANE HCC:V4 Boiling Pt:B.P. Text: 316F, 158C Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:20, 0.01 Vapor Density:NA Spec Gravity:NA Evaporation Rate & Reference:0.01 Solubility in Water:0 Appearance and Odor:YELLOWISH OFF-WHITE GRESE WITH MINERAL OIL ODOR Percent Volatiles by Volume:0 Stability Indicator/Materials to Avoid:YES STRONG ACIDS, OXIDIZERS. Stability Condition to Avoid: AVOID SPARKS AND OPEN FLAMES, OXIDANTS Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE.

Waste Disposal Methods:DISPOSAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.